




# *Rubber Traps*



***Savage Range Systems***  
*Shooting Ranges and Bullet Traps*

# Handles up to .50 cal BMG!



**All-black, metal and fiber-free recycled media!**

Savage Range Systems offers a variety of range traps, depending upon each client's needs. While the Savage Wet Snail System provides the cleanest, safest and lowest maintenance trap possible, budgetary or space constraints may require an alternative... the Savage Range Systems Rubber Trap!

Tailored to the width of your range, the Savage Range Systems Rubber Trap has a frame constructed with W6 wide-flange beams and channels, and has a skin made of hot-rolled steel plate. Erected on-site, it maintains a 32° angle and is filled with recycled rubber material – 25 mm, all-black, metal and fiber-free used tires – that is of irregular size and shape to minimize voids between the pieces. The media is loose to shift upon impact, absorbing the bullet and letting it migrate to the bottom plate. An integral

baffle at the top acts as a self-feeding hopper to replenish media that migrates down the trap face.



# Custom fit to your width!



**Strong steel framework maintains the 32° angle of media!**

Able to handle ammunition up to, and including, .50 cal BMG, flexibility of size, strength, quality of construction and affordability make the Savage Range Systems Rubber trap an excellent option for many range situations... and, after all, it is a Savage trap!

## **Key features:**

- **Clean:** Rubber media does not smash bullets. Lead dust is not generated at the trap. Ideal when there isn't sufficient room for a Wet Snail Trap.
- **Shallow footprint:** The Savage Rubber Trap only requires 11' of floor space, making it an ideal replacement for old escalator traps where a 75' target distance is required.
- **Will accommodate all ammunition, including armor piercing, rated up to .50 cal BMG\*.**
- **The Savage Rubber Trap is fabricated to the same quality standards as our Snail Traps... built to last!**
- **We only use 100% metal and fiber free rubber. Media is treated with fire retardant during installation.**

\* For .50 cal BMG, no automatic fire.

**800-370-0712**

**[www.SavageRangeSystems.com](http://www.SavageRangeSystems.com)**